Author index

Ardestani, E.K., see Kirov, S.M. (20) 159

Baldini, P., see Campanini, M. (20) 169
Ballesteros, S.A., Chirife, J. and Bozzini, J.P.
Specific solute effects on *Staphylococcus aureus* cells subjected to reduced water activity (20) 51
Barbuti, S., see Campanini, M. (20) 169
Bhudhasamai, K., see Pitt, J.I. (20) 211
Blais, B.W., Ong, H.Y. and Yamazaki, H.
Use of inexpensive O antisera as the detecting antibodies for *Salmonella* antigens in the polymyxin-cloth enzyme immunoassay (20) 149
Borch, E., see Gustavsson, P. (20) 67
Borch, E., see Nerbrink, E. (20) 37
Bozzini, J.P., see Ballesteros, S.A. (20) 51
Buchrieser, C. and Kaspar, C.W.
An improved direct viable count for the enumeration of bacteria in milk (20) 227

Campanini, M., Pedrazzoni, I., Barbuti, S. and Baldini, P.
Behaviour of *Listeria monocytogenes* during the maturation of naturally and artificially contaminated salami: effect of lactic-acid bacteria starter cultures (20) 169
Chirife, J., see Ballesteros, S.A. (20) 51

Davey, J.A., see Eyles, M.J. (20) 97
Dekkers, P.Ph.A., see Poulis, J.A. (20) 109
De Pijper, M., see Poulis, J.A. (20) 109
Devi, N., see Varadaraj, M.C. (20) 259
De Wit, J.C., see Houtsma, P.C. (20) 247

Embarek, P.K.B. and Huss, H.H.
Heat resistance of *Listeria monocytogenes* in vacuum packaged pasteurized fish fillets (20) 85
Eyles, M.J., Moir, C.J. and Davey, J.A.
The effects of modified atmospheres on the growth of psychrotrophic pseudomonads on a surface in a model system (20) 97

Gobat, P.-F. and Jemmi, T.
Distribution of mesophilic *Aeromonas* species in raw and ready-to-eat fish and meat products in Switzerland (20) 117
Görner, F., see Valik, L. (20) 45
Gudmundsdóttir, Á., see Stoffels, G. (20) 199
Gustavsson, P. and Borch, E.
Contamination of beef carcasses by psychrotrophic *Pseudomonas* and *Enterobacteriaceae* at different stages along the processing line (20) 67

Hayward, L.J., see Kirov, S.M. (20) 159
Hocking, A.D., see Pitt, J.I. (20) 211
Holzapfel, W.H., see Schillinger, U. (20) 131
Houtsma, P.C., De Wit, J.C. and Rombouts, F.M.
Minimum inhibitory concentration (MIC) of sodium lactate for pathogens and spoilage organisms occurring in meat products (20) 247
Hudson, J.A. and Mott, S.J.
Growth of *Listeria monocytogenes, Aeromonas hydrophila* and *Yersinia enterocolitica* in pâté and a comparison with predictive models (20) 1
Huss, H.H., see Embarek, P.K.B. (20) 85

In 't Veld, P.H., Soentoro, P.S.S. and Notermans, S.H.W.
Properties of *Bacillus cereus* spores in reference materials prepared from artificially contaminated spray dried milk (20) 23

Jacquet, Ch., Rocourt, J. and Reynaud, A.
Study of *Listeria monocytogenes* contamination in a dairy plant and characterization of the strains isolated (20) 13
Jemmi, T., see Gobat, P.-F. (20) 117

Kaspar, C.W., see Buchrieser, C. (20) 227
Keshava, N., see Varadaraj, M.C. (20) 259

Kirov, S.M., Ardestani, E.K. and Hayward, L.J.
The growth and expression of virulence factors at refrigeration temperature by *Aeromonas* strains isolated from foods (20) 159
Kirov, S.M.
The public health significance of *Aeromonas* spp. in foods (20) 179
Krusell, L. and Skovgaard, N.
Evaluation of a new semi-automated screening method for the detection of *Salmonella* in foods within 24 h (20) 123

Manjrekar, S.P., see Varadaraj, M.C. (20) 259
Marshall, D.L., see Oh, D.-H. (20) 239
Miscamble, B.F., see Pitt, J.I. (20) 211
Moir, C.J., see Eyles, M.J. (20) 97
Mossel, D.A.A., see Poulis, J.A. (20) 109
Mott, S.J., see Hudson, J.A. (20) 1

Nerbrink, E. and Borch, E.
Evaluation of bacterial contamination at separate processing stages in emulsion sausage production (20) 37
Notermans, S.H.W., see In 't Veld, P.H. (20) 23

Oh, D.-H. and Marshall, D.L.
Antimicrobial activity of ethanol, glycerol monolaurate or lactic acid against *Listeria monocytogenes* (20) 239
Ong, H.Y., see Blais, B.W. (20) 149

Pedrazzoni, I., see Campanini, M. (20) 169
Pitt, J.I., Hocking, A.D., Bhudhasamai, K., Miscamble, B.F., Wheeler, K.A. and Tanboon-Ek, P.
The normal mycoflora of commodities from Thailand. 1. Nuts and oilseeds (20) 211
Poulis, J.A., De Pijper, M., Mossel, D.A.A. and Dekkers, P.Ph.A.
Assessment of cleaning and disinfection in the food industry with the rapid ATP-bioluminescence technique combined with the tissue fluid contamination test and a conventional microbiological method (20) 109

Reynaud, A., see Jacquet, Ch. (20) 13
Rocourt, J., see Jacquet, Ch. (20) 13
Rombouts, F.M., see Houtsma, P.C. (20) 247

Sahl, H.-G., see Stoffels, G. (20) 199
Schillinger, U., Stiles, M.E. and Holzapfel, W.H.
Bacteriocin production by *Carnobacterium piscicola* LV 61 (20) 131
Skovgaard, N., see Krusell, L. (20) 123
Soentoro, P.S.S., see In 't Veld, P.H. (20) 23
Stiles, M.E., see Schillinger, U. (20) 131
Stoffels, G., Sahl, H.-G. and Gudmundsdóttir, Á.
Carnocin UI49, a potential biopreservative produced by *Carnobacterium piscicola*: large scale purification and activity gainst various Gram-positive bacteria including *Listeria* sp. (20) 199

Tanboon-Ek, P., see Pitt, J.I. (20) 211

Valik, L. and Görner, F.
Growth of *Staphylococcus aureus* in pasta in relation to its water activity (20) 45
Varadaraj, M.C., Devi, N., Keshava, N. and Manjrekar, S.P.
Antimicrobial activity of neutralized extracellular culture filtrates of lactic acid bacteria isolated from a cultured Indian milk product ('dahi') (20) 259

Wheeler, K.A., see Pitt, J.I. (20) 211

Yamazaki, H., see Blais, B.W. (20) 149

Subject index

Aeromonas, (20) 117, (20) 159, (20) 179
Aeromonas hydrophila, (20) 1
Antagonistic activity, (20) 169
Antimicrobial activity, (20) 259
Antimicrobial agent, (20) 239
ATP-bioluminometry, (20) 109
Automated EIA detection, (20) 123

Bacillus cereus, (20) 23
Bacteriocin, (20) 131, (20) 169, (20) 199
Biopreservation, (20) 259
Biopreservatives, (20) 199

Carbon dioxide, (20) 97
Carnobacteria, (20) 199
Carnobacterium piscicola, (20) 131
Carnocin UI49, (20) 199
Cashews, (20) 211
Cheese, (20) 13
Chilling, (20) 67
Ciprofloxacin, (20) 227
Cleaning and disinfection, (20) 109
Collaborative study, (20) 23
Commodities, (20) 211
Contact plating, (20) 109
Contamination, (20) 67
Copra, (20) 211
Corn, (20) 211

Direct viable count, (20) 227
Dormancy, (20) 23

Electron microscopy, (20) 51
ELISA, (20) 123
Enzyme immunoassay, (20) 123

Fish, (20) 85, (20) 117
Food, (20) 1
Food-borne gastroenteritis, (20) 159, (20) 179
Fungi, (20) 211

Groundnuts, (20) 211
Growth, (20) 45
Growth inhibition, (20) 239

Heat resistance, (20) 85
Heat treatment, (20) 37
Hygiene, (20) 67
Hygiene control, (20) 109

Kinetics, (20) 1

Lactic-acid bacteria, (20) 169, (20) 199, (20) 259
Lanthionine, (20) 199
Listeria innocua, (20) 13
Listeria monocytogenes, (20) 1, (20) 13, (20) 85, (20) 169, (20) 239

Maize, (20) 211
Meat, (20) 117
Meat processing, (20) 67
Meat product, (20) 247
MIC value, (20) 247
Modified atmosphere, (20) 97

O antisera, (20) 149

Paramagnetic bead, (20) 123
Pasta, (20) 45
Pathogen, (20) 247, (20) 259
Peanuts, (20) 211
Peptide detection, (20) 109
Phage typing, (20) 13
Piscicolin, (20) 131
Plasmid, (20) 131
Polymyxin-cloth enzyme immunoassay, (20) 149
Polyol, (20) 51
Poultry, (20) 117
Pseudomonas, (20) 67, (20) 97
Psychrotrophic pathogen, (20) 159, (20) 179
Public health, (20) 179

Rapid method, (20) 123, (20) 227
Ready-to-eat food, (20) 85
Recontamination, (20) 37
Reference material, (20) 23
REPFED, (20) 85
rRNA gene restriction pattern analysis, (20) 13

Salami, (20) 169
Salmonella, (20) 123, (20) 149
S. aureus, (20) 45
Sausage production, (20) 37
Serogroup, (20) 149
Serotyping, (20) 13
Shellfish, (20) 117
Slaughter, (20) 67
Sodium lactate, (20) 247
Solute, (20) 51
Sous-vide, (20) 85
Spoilage bacteria, (20) 259
Spoilage organism, (20) 247
Staphylococcus aureus, (20) 51

Thailand, (20) 211

Virulence factor, (20) 159

Water activity, (20) 45, (20) 51, (20) 247

Yersinia enterocolitica, (20) 1